



# Double Decker

## maximum use of the cube

Double Decker offers optimum use of space in higher buildings. Double Decker incorporates all the benefits of Power<sup>3</sup> while offering ultimate space efficiency. One touch operation of the pad provides user friendly and safe operation on both levels. Vibration-free movement, thanks to the soft start and stop feature, ensures that documents stay in place during retrieval.



### Space Efficiency

Achieve the best space efficiency in buildings with ceiling heights greater than 4.5m. The unique mezzanine construction carries the weight of the operator only.



### In-Built Aisle Lighting


Automatic lighting is available on both levels. Mesh floors offer clear views to levels either above or below.

For contact details, visit [www.dexion.biz](http://www.dexion.biz)




## Double Your Storage Capacity

### BEFORE - Power<sup>3</sup>



### AFTER - Double Decker



Specifications	Dimensions
Floor Fixing/Track Infill	Yes
Drive Type	Powered
Max Movable Block Load	10 tonne per base
Max System Depths	12000mm
Bay Heights	1914 to 2994mm in 40mm increments
System Overall Heights	Add 212mm to bay height
Bay Carrying Capacity	Up to 800kg
Bay Width Clear Entry	800, 1000, 1200mm
Bay Clear Depth	25mm shelf heights - Nominal depths 200, 250, 270, 300m 320mm 33mm shelf heights - Nominal depths 300, 320, 350, 370, 390, 400, 450mm
Shelf Carrying Capacity	25mm shelf height - up to 85kg 33mm shelf height - up to 155kg Greater loads by incorporating reinforcement bars.
Shelf Pitch	20mm

# Accessories



## Frames

Frames are available with a unique infill panel.



## Perforated Frames

Perforated frames and infill panels provide greater ventilation.



## Shelf

Shelves are available with or without perforation to accommodate various dividers.



## Reinforcement Bars

Increase the maximum permissible shelf load for steel shelves.



## Sliding Book Support

Available in left and right hand versions and can be locked in any position along the shelf.



## Clamping Divider

To keep rows of books or documents upright.



## Steel Partition Panel

Create closed section partitions.



## Dividing Bars

Divide compartments into a number of open bar partitions.



## Pull-Out Frame

Allows you to store documents in suspension files.



## Pull-Out Shelf

Can be used as a writing desk, work table or for the temporary storage of smaller goods.



## Drawer

Store smaller goods either loose or packed. The drawer may be divided into a number of 55mm sections.



## Sliding Doors

Used to convert open shelving into closed modules for individual security.



## Label Holders

Label holders are used to identify aisles.



## Front Stop

Rod used to create a stop along the front of the shelf.



## Display Shelf and Magnetic Labels

Display shelf presents documents on an angle. Magnetic labels are used for shelf identification.



## Shelf Stop/Middle Stop

Shelf stop creates a positive stop along the front or back edge of the shelf. Middle stop creates and upright edge on double entry racks.